

Fuel Fed Fire Bibliography

- Allen, D., "Alsafte Proposal," 1976
- "America Burning." National Commission on Fire Prevention and Control, 5/73. Available from Government Printing Office, Washington, DC. #5200-0004
- American Machine & Foundry Company, "Final Report, Phase I, Experimental Safety Car Study," DOT HS 800 092, 8/68
- "An Explosion-Proof Gas Tank," Toronto Star, 8/15/75
- Arima, K. et al., Toyota Motor Co. Ltd., "Rear Body Construction of Subcompacts and Fuel System Integrity in Rear End Collisions." Warrendale, PA: SAE Report #770171, 1977, 16 pp. #HS-022 249
- Asanuma, T. Institute of Space and Aeronautical Science, University of Tokyo), H. Yamakawa, and H. Hayakawa (Tsukasa-Sokken Ltd., Japan). "Tandem Hot-Wire Flowmeter for Measuring Intermittent Fuel Flow." SAE Report #700493
- Austin, J., F. Wagner, "A Statistical Study of Post-Crash Phenomena in Automobile Accidents," Proc. 18th Conf. Am. Ass'n of Automotive Medicine 89-103 pp, 1974
- Austin, J.A., F.R. Wagner, A. Hogan, and F. Bryner (University of Utah, Utah Auto Crash Research Team). "Study of Post-Crash Factors in Automobile Collisions. Vol 1, Final Report." NTIS, 1975, #HS-801 519
- "Automobile Fires in Traffic Crashes," UMTRI Research Review, 5-6/83
- Baltz, G.F. "Effects of Alcohol Extended Fuels on the Rate of Fuel Hose Permeation". Outboard Marine Corp., SAE Report # 880709
- Benson, Jack D. (General Motors Research Labs, Fuel and Lubricants Dept.). "Manganese Fuel Additive (MMT) Can Cause Vehicle Problems." Warrendale, PA: SAE Report #770655, 1977, 26 pp. #HS-024 193
- Berton, R., R. MacLean, "Potential Applications for the Movable Barrier in Vehicle Crash Testing," SAE Report #700408, 1970
- Bloch, B., Statement: Ford Pinto Hazards, Chevrolet Vega & Chevette Hazards, & the Need to Upgrade FMVSS 301, 8/78
- Bondy, N., NCSA, "The Incidence of Fire in Plastic Fuel Tank Vehicles," in DOT HS 806 335, 4/81
- Brayman, A.F. (Cornell Aeronautical Laboratory). "Impact Intrusion Characteristics of Fuel Systems." DOT HS 800 296, 4/71
- Campbell, B. and J. Kihlberg, "Automobile Fire in Connection With an Accident,: ACIR Bulletin No. 6, 2/64
- Campbell, T.M., G. Anthoine, J. Stemper, and K. Boustany. "Further Application of Treated Cellulose Fibers as a Rubber Reinforcement." Elastomerics, 4/79, 30-31 pp. #HS-025 984
- "Cars that Crash and Burn." Insurance Institute for Highway Safety, film, 1973, 27 minutes
- Center for the Environment & Man, "Final Design & Implementation Plan for Evaluating the Effectiveness of FMVSS 301: Fuel System Integrity," DOT HS 802 347, 5/77

Chan, C., et al. (University of California Berkeley). "Design of a Fire Proof Vehicle," NTIS PB 246 740, 7/75

Chiti, C., and S. Garbarino, (Alfa Romeo). "Automotive Fuel Fed Fires." Warrendale, PA: SAE Report #770170, 1977, 10 pp. #HS-022 247

Collins, J. and J. Morris, Highway Collision Analysis, 206-12 pp, 1967

Connolly, M.P. "Assessment of Design and Durability Issues for Composite NGV Fuel Cylinders." Gas Research Institute, 1994

Cooley, P. (Highway Safety Research Institute, University of Michigan). "Fire in Motor Vehicle Accidents." UM-HSRI-SA-74-3, 4/74

Data Link, Inc., "Study of Motor Vehicle Fires," 2/88

DeVita, E., "Iniezioni a Rischio (The Risks of Fuel Injection), Quattoroute, 3/92

Dyer, A., Phillips Petroleum Co., "Polyethylene Fuel Tanks," Fire Journal, 11/68

Dynamic Science, "Crash Survival Design Guide," Rev. 8/69

Dynamic Science, "FMVSS 301-75 Stands Enforcement Testing of Fuel Systems Integrity: 1977 Ford Pinto Two-Door Sedan," NHTSA 770202, Report # 301-DYS-77-006, 3/77

Emori, R. "Analytical Approach to Automobile Collisions," SAE Report # 680016, 1/68

Ensernik, E. (Dynamic Science). "Dual-Fuel Motor Vehicle Safety Impact Testing," DOT HS 800 622, 11/71

"Evaluating Fuel-System Crashworthiness." General Motors Proving Ground, Safety Research and Development. Automotive Engineering, 4/77, 30-3 pp. #HS-021 045

Expanded Metal Company Ltd., "Explosafe: A New System of Explosion Prevention," Expamet News, 4/77

Failure Analysis Associates, "Analysis of U.S. EPA's Aug. 1988 Draft Report: Summary & Analysis of Comments Regarding Potential Safety Implications of Onboard Vapor Recovery Systems," 2/19/89

Fairchild Hiller, "Feasibility Study of New York State Safety Car Program, Final Report," NTIS PB 173 313, 8/66

Fairchild Hiller, "Investigation of Motor Vehicle Performance Standards for Fuel Tank Protection: Phase I Final Report" NTIS PB 177 690, 9/67

Fairchild Hiller, "Experimental Safety Cars Study, Phase I Final Report, Vol. 4," DOT HS 800 112, 8/68

Fairchild Hiller, "Fuel Tank Protection" DOT HS 800 227, 6/69

Fan, W., Jettner, E. "Light Vehicle Occupant Protection--Top & Rear Structures & Interiors," SAE Report # 820244, 1982

First Inertia Switch, Letter & Brochure, 5/95

Flick, R., VRTC, NHTSA, "Testing to Evaluate Two Proposed Fuel Crossover Line Protection Procedures," 6/95

Flora, Jr., J., J. O'Day, Highway Safety Research Institute, "An Estimate of the Effect of FMVSS 301--Fuel System

- Integrity,” Accident Analysis & Prevention, 117-132 pp, 1981
- Flora, Jr., J., J. O’Day, Highway Safety Research Institute, “Evaluation of FMVSS 301--Fuel System Integrity--Using Police Accident Data,” DOT HS 806 362, 3/82
- Forbat, J., Inertia Switches limited, “Vibration Tests on Inertial Switch 3566,” 5/71
- “Fuel Consumption Measurements 1978–80 Model Year Vehicle.” National Highway Traffic Safety Administration, 8/80, #HS-805 796
- Fuel Spray Studies. SAE, ISBN 1-56-01-031-0, 1996, 280 pp
- Fuels System Design for Fuel Economy and Reduced Emissions. SAE, ISBN 1-56091-952-3, 1996, 110 pp
- “Fuel Tank Protection: An Investigation of Fuel, Exhaust and Electrical Systems as Related to Post Crash Fire Safety.” Fairchild Hiller Corporation (Farmingdale, New York). Clearinghouse for Federal Scientific and Technical Information, #FHR-3771, 6/30/69, 198 pp
- Gabella, W. and W. Young, U.S. Army Agency for Aviation Safety, “Summary of U.S. Army Crashworthy Fuel Systems Accident Experience, 1970-73,” System Safety Newsletter, Vol. 2, No. 3, 4-5 pp, 1973
- Garrett, J. and A. Stern, “A Study of Volkswagen Accidents in the United States,” J. Safety Res. 115-126 pp, 9/69
- Gatlin, C. and N. Johnson, Dynamic Science, “Prevention of Electrical Systems Ignition of Automotive Crash Fire,” DOT HS 800 392, 3/70
- General Environment Corp., “Report of Six Moderate Front-Into-Rear Automobile Crash Tests for IIHS,” 10/73
- General Environment Corp., “Report of Six Moderate Front-Into-Rear Automobile Crash Tests for IIHS,” 11/73
- GESAC, “Fuel System Integrity Upgrade--NASS & FARS Case Study,” DOT Contract No. DTNH-22-92-D-07064, 3/94
- Gloyns, P.F., G.M. Mackay, and S. Chatterjee. “Post-Collision Vehicle Fires, Project Report.” University of Birmingham, Accident Research Unit, England, 1975, 26 pp., #HS-017 837
- Gray, E.K., and G. Hopf. “Nylon 12 in the Automotive Fuel System”. SAE Report # 880684
- Gregory, F.M.H. “Investigative Report: Fire and Fiction.” Motor Trend, Vol. 25, No. 3, 84–86 pp, 3/74 #HS-14312
- Grime, G., “Safety Cars,” Ministry of Transport, England, 1966
- Grubbs, T. (NHTSA). “FMVSS 301 Crash Test Vehicles,” 1981
- GT Development Corp., “Breakaway Valve: A Solution to the Loss of Fuel Resulting From Crossover Line Impact,” 3/11/88
- GT Development Corp., “Diesel Fuel Tank Safety Venting: An Examination of Fuel Tank Safety Venting, Introducing Phase II Technology,” 3/17/88
- Habberstad, J. and J. Collins, “Investigation of Collision-Related Vehicle Fires,” in Highway Collision Reconstruction, ASME, 1-14 pp, 1980

Hablitzel, H. (Volkswagenwerk A. G.). "The Plastic Fuel Tank for the VW Passat." SAE Report # 740289, #HS-15 511

Haddon, W. (Insurance Institute for Highway Safety). "On Fuel System Deficiencies Allowing Leakage of Gasoline and Fires", before Subcommittee on Commerce and Finance, U.S. House Committee on Interstate and Foreign Commerce, 93rd Cong., 1st Session, 5/29/73

Hall, Jr., J., National Fire Protection Ass'n, "U.S. Vehicle Fire Trends & Patterns Through 1994," (excerpted) 4/97

Harrigan, M.J. "Design Considerations for Plastic Fuel Lines". Ford Motor Co., SAE Report # 880683

Honan, H.S., P.C.T. DeBoer, and W.J. McLean (Cornell University). "The Effect of Fuel Injection or NOX Emissions and Undesirable Combustion for Hydrogen Fueled Piston Engines." Warrendale, PA: SAE Report # 780945, 1978, 20 pp. #HS-025 782

"How Safe Are Plastic Fuel Tanks?" Modern Plastics, Vol. 47, 1/70

"How Thin Foil Can Prevent an Inferno," Chicago Tribune, 8/23/78

Hubbard, John, Virginia Kelly, and Russell Shew. "Fuel Fed Vehicle Fires." Trial, 1/78, 22-6 pp, #HS-022 281

IIHS, "A Film About . . . Cars That Crash & Burn" (brochure describing film), 5/74

Inertia Switch, Ltd., "Automobile Safety, Security, Servicing Features"

Inertia Switch, Ltd., Comments to Docket No. 70-20, Notice 1, 4/71 & 3/72

Iwai, I., et al. "A Study on Cold Startability and Mixture Formation of High-Percentage Methanol Blends". Japan Automobile Research Institute, Inc., SAE Report # 880044

Iwamoto, J. "Experiments on Rotary Valve Under Steady and Unsteady Flow Condition." Tokyo Electrical Engineering, 1973, #HS-013 706

Joksch, H., Center for the Environment & Man, "A Critical Appraisal of the Applicability of Benefit-Cost Analysis to Highway Traffic Safety," 10/74

Johnson, N. (Dynamic Science). "An Assessment of Automotive Fuel System Fire Hazards: Summary Report," DOT HS 800 623, 12/71

Johnson, N. and S. Sanderson, Ultrasystems, "Spilled Fuel Ignition Sources & Countermeasures," DOT HS 801 722, 9/75

Johnson, N.B. (Dynamic Science). "An Assessment of Automotive Fuel System Fire Hazards." DOT HS 800 624, 12/71

Johnson, N., and S. Sanderson (Ultrasystems). "Spilled Fuel Ignition Sources and Countermeasures. Final Report." NTIS, 1975, 260 pp, #HS-801 722

Junyue, C. "Studies on Methanol or Ethanol and Gasoline Thermal Blending Fuel System". SAE Report # 880041

Takegawa, T., et al. "A Study on Combustion of High Pressure Fuel Injection for Direct Injection Diesel Engine." SAE Report # 880422

King, B., et al. "Motor Vehicle Accidents & Burns: An Epidemiological Study of Motor Vehicle Fires & Their Victims," Proc. 16th Conf. Am. Ass'n of Automotive Medicine 34-43 pp, 1972

Law Offices of Hare, Wynn, Newell & Newton, "An Analysis of the Hazard of the Pinto Fuel System," 10/78

Letter from D. Black, Alfa Romeo, re: Autodelta Tank Details, 7/73

Letter from D. Contostavios, Medical Examiner for Delaware County, PA re: Six Postcards Fire Deaths from 1982 to 1990, Possibly Due to Uninterrupted Fuel Flow from Electronic Fuel Injection (EFI) Systems, 9/92

Letter from E. Horkey, Horkey & Associates, re: Automobile Fires from Failure of Flexible Hoses ahead of the Carburetor, 5/82

Letters from W. Scott, National Center for Statistics & Analysis, "Pinto Fires," 8/77 & 9/77

Liehr, K.D. "Plastic Fuel Tanks in the Federal Republic of Germany and in Europe." SAE Report # 880686

"Liquefied Energy Gases Safety Report to Congress By the Comptroller General of the United States, Vols. 1-3." Washington, DC: GAO, Report # GAO-EMD-78-28, Vol. 1-3, 1978, 1269 pp. #HS-024 272- #HS-024 274

Little, Arthur D., Inc., "Assessment of Key Safety Issues Associated With On-Board Vapor Recovery Systems," 6/89

Locati, L. "State-of-the-Art Vehicle Post-Crash Considerations," SAE Report # 700436, 5/70

Locati, L. and E. Franchini "Car Crash-Fire Investigation," ATA (Giornale ed Atti dell' Assoc. Tecn. dell'Automobile), 9/66

Lowell, D. "Safe Operating Procedures For Alternative Fuel Buses." Transportation Research Circular. #447, 7/95, 27 pp

Malliaris, A. "Impact-Induced Car Fires--A Comprehensive Investigation," 23 Accident Analysis & Prevention 257-2273, 1991

Malschaert, F. "The State of the Art of Safety in Design--Continental Practice,,: Paper No. 12, Proc. Inst. Mech. Engrs. 1968-69, Vol. 183, Pt. 3A, 7/68

Martinovich, R., et al., Phillips Petroleum Co., "A Study of the Permeation Characteristics of Blow Moulded High Density Polyethylene Automotive Fuel Tanks," 5/68

McDonald, W., "New Energy-Absorbing Materials for Crash Resistant-Fuel Tanks," SAE Report # 680210, Business Aircraft Meeting, 4/68

McNaughton, J., and M.G. Ketcham. "Plastic Quick Connectors for Fuel Systems". Huron Products Corp., SAE Report # 880687

Mechanical Drawings of Selected Models, in "World Cars," Automobile Club of Italy, 1971-73 eds.

Montecatini Edison S.p.A., "Informazioni Tecniche: FLUOBRENE"

Montedison Sales Corp., Comments to Docket No. 73-20, Notice 1, on Fluobrene, 10/73

Moore, J. and D. Negri (New York State Department of Motor Vehicles). " Fires as a Factor in Motor Vehicle Accidents in New York State, March & September 1968," 9/69

“Motor Fuels: Issues Related to Reformulated Gasoline, Oxygenated Fuels, and Biofuels.” GAO #RCED-96-121, 6/27/96; 64 pp

National Commission of Fire Prevention & Control, “America Burning,” 1973

National Fire Protection Ass’n, “Transportation Fire Hazards,” (excerpted) 4/73

“New Model Cars Pose No Fuel Problems.” Oil and Gas Journal, 9/29/69, 28–29 pp

NHTSA, “Tri-Level Accident Investigation Summaries: Level 3A, Accident Causation,” 1971-72

NHTSA, “Summary of FMVSS No. 301 Compliance Test Results, 1968 to 1992 (10,000#, GVWR Vehicles),” 12/92

NHTSA, “1991 NASS Data: Fatal Crashes Involving Light Vehicle Fires

NHTSA, Enforcement, “Assessment of Safety of Onboard Refueling Vapor Recovery Systems,” 7/91

NHTSA, VRTC, “Testing to Develop Fuel System Integrity Standard,” 3/92

NHTSA, “Comparative Analysis Between Compliance Test Vehicles & 1991 NASS Accident Vehicles Resulting in Fatal Fires,” 12/92

NHTSA, OVS, “Assessment of Onboard Refueling Vapor Recovery System Safety,” 11/93

Norbeck, J., et al. Hydrogen Fuel For Surface Transportation. ISBN 1-56091-684-2, 1996, 558 pp

Okamoto, T., et al. (Nissan Motor Co., Ltd.). “Rear-End Crash Characteristics & Fuel System Safety,” SAE Report # 770815, 9/77

O’Neill, B., A. Kelly, IIHS, “Costs, Benefits & Safety: Setting the Record Straight,” SAE Report # 740988, 10/74

Oshiage, K., et al. “New Fuel Injection Method for Better Driveability”. Nissan Motor Co., Ltd., SAE Report # 880420.

Outcome of the European Programme on Emissions, Fuels, and Engine Technologies. SAE, ISBN 1-56092-861-6, 1996, 116 pp

Parson, G., NHTSA, “Evaluation of Federal Motor Vehicle Safety Standard 301-75, Fuel System Integrity: Passenger Cars,” DOT HS 806 335, 1/83

Parson, G.G., “Motor Vehicle Fires in Traffic Crashes and the Effects of the Fuel System Integrity Standard.” NHTSA, 11/90, # HS-807 675, 282 pp

Partyka, S., NHTSA, “Origin of Fire in Towed Light Vehicle Crashes” (draft), 10/92

Pegg, S. and T. Mayze, “Burn Injuries Associated With Road Trauma,” Aust. & N.Z. J. of Surgery 593-96 pp, 12/80

Phillips Petroleum Co., “Technical Information on Marlex High Density Polyethylene for Fuel Tank Applications”

Phillips Petroleum Co., “Super Tanks Through Marlex Resins: A Look at the “Un-Metal” Passenger Car Fuel Tank”

Phillips Petroleum Co., Comments to Docket Nos. 3-1 & 3-2, Notice 67-5, 1/69

Phillips Petroleum Co., Comments to Docket Nos. 3-1 & 3-2, Notice 67-5, 3/69

“Plastic Fuel Tanks in Automobiles and Aircraft.” NERAC, Inc., 1994, PB94-872629

Pollard, J., and E.D. Sussman. “An Examination of Sudden Acceleration, Final Report.” NHTSA DOT-HS-807-367, DOT-TSC-NHTSA-89-1, 1/89
Proceedings of the 1995 SAE Alternative Fuels Conference. SAE # P-294, ISBN 1-56091-686-9, 1995, 386 pp

“Propane Truck Collision with Bridge Column and Fire, White Plains, New York, July 27, 1994.” NTSB Highway Accident Report, 11/14/95, PB95-916202

Putnam, G., “Explosion Proof Fuel Tanks,” Fleet Owner, 12/67

Rainaldi, N., Montecatini Edison S.p.A., “Advance Report on Halon 2402,” 5/69

Reinfurt, D., Highway Safety Research Center, “A Statistical Evaluation of the Effectiveness of FMVSS 301: Fuel System Integrity,” DOT HS 805 969, 6/81

Reinfurt, D., Highway Safety Research Center, “A Statistical Evaluation of the Effectiveness of the 1976 Version of FMVSS 301: Fuel System Integrity,” DOT HS 806 365, 11/82

Ridenour, J., et al., “A Study of Automobile Fuel Tanks,” General Motor Corp. Automotive Safety Seminar Paper No. 32, 7/68

Ripling, E.J., P.B. Crosley and R.J. Geiger. “LNG Containment Systems Final Report. A Suggested Method for Evaluating the Safety and Durability of Vehicles.” Gas Research Institute, Chicago, IL, 12/94, PB94-207743

Rivard, J.G. (Bendix Corp.). “Electronic Fuel Injection: Introduction in the U.S.A.” Automobile Electronics International Conference, London, 1976. Warrendale, PA: SAE, 1976, 61–4 pp. #HS-019 341

Robertson, L.S. “Fatal Car Fires From Rear-End Crashes: The Effects of Fuel Tank Placement Before and After Regulation.” American Journal of Public Health, Vol. 83, No. 8, 8/93

Robertson, S. Harry (Flight Safety Foundation). “A New Look at Fuel System Design Criteria.” 10th Stapp Conference, 175–186 pp

Robertson, S. Harry, and G.J. Walhout (Aviation Safety Engineering and Research, Phoenix, Arizona). Crashworthy Fuel System Design. Flight Safety Foundation, Inc., 5/6/66, 56 pp

Robinson, S. “Observations on Fire in Automobile Accidents,” Cornell Aeronautical Lab., Report No. VJ-1823-R14, 2/65

“Safety Tank Designed for the Family Car,” 43 Machine Design, 10/71, 8 pp

“Safom” Proposal: M. Yancey, R. Headrick, Firestone Coated Fabrics Co., “Motor Vehicle Tanks: Federal Motor Vehicle Safety Standards No. 301,” Report # 1878, 3/68

Sarto, J., et al. “Chrysler Evaporative Control System: The Vapor Saver for 1970,” SAE Report # 700150, 1/70

Schechter, M.M. and A.O. Simko. “EMI-Series—Electromagnetic Fuel Injection Pumps”. Ford Motor Co., SAE Report # 880421

Scheuerman, H. and R. Young, FAA (National Aviation Facilities Experimentation Center). “Automotive Rear End

Collision Tests," DOT HS 801 163, 9/74

Schwartz, S.E., et al. "Entry and Retention of Methanol Fuel in Engine Oil". General Motors Research Labs, SAE Report # 880040

Seiffert, Ulrich, and Arnold Ensslen (Volkswagenwerk A.G.). "Possible Effects of FMVSS 301 on Motor Vehicle Development and Design." Warrendale, PA: SAE Report # 770172, 1977, 12 pp. #HS-022 271

Severy, D., et al. "Automobile Side Impact Collisions, Series II" SAE, 1962

Severy, D., et al. "Collision Performance, LM Safety Car," SAE Report # 670458, 5/67

Severy, D., et al. "Vehicle Design for Passenger Protection from High-Speed Rear-End Collisions," SAE Report # 680774, 1968

Severy, D., et al. "Auto Crash Studies," 1/69

Severy, D., et al. "Postcrash Fire Studies Show Need for Rear-Seat Fire Wall & Rupture-Proof Fuel Tank" 77 SAE Journal, 18-24 pp, 7/69

Severy, D.M., D.M. Blaisdell, and J.F. Derkhoff (Severy, Inc.). "Automotive Collision Fires." Stapp Car Crash Conference (18th) Proceedings, 1974, SAE Report #741180, #HS-16 021

Severy, Derwyn M., David M. Blaisdell, and John F. Derkhoff (Severy, Inc.). "Mechanism of Injury From Crash Fires." Conference of the American Association for Automotive Medicine (19th) Proceedings, Lake Bluff, IL, 1975, 312-31 pp, #HS-017 974

Severy, Derwyn M., Harrison M. Brink, and Jack D. Baird (University of California, Los Angeles). "Postcrash Fire Studies Show Need for Rear-Seat Fire Wall and Rupture-Proof Fuel Tank." SAE Journal, 7/69, 18-24 pp

Schafer, F. and R. van Basshuysen. *Reduced Emissions and Fuel Consumption in Automobile Engines*. ISBN 1-56091-681-8, 1995, 206 pp

Shooter, D., and A. Kalelkar. "The Benefits and Risks Associated with Gaseous Filled Vehicles." Little Co., Cambridge, MA: #HS-013 720

Siegel, A., Nahum, A. "State-of-the-Art Vehicle Postcollision Considerations," SAE Report # 700435, 5/70

Smith, P.J., D.M. Buck, and J.P. Hobbs. "Analysis of Barrier Performance on HDPE Fuel Tanks Using a Mini-Shed Test Procedure". Air Products and Chemicals, Inc., SAE Report # 880685

Stampede International Resources Ltd., "Explosafe Anti-Explosion System"

"Stampede International Resources & Its Incredible "Explosive Story," Market Chronicle, 10/23/75

"Statistical Evaluation of the Effectiveness of FMVSS 301: Fuel System Integrity, Rep. No. 7 of 7," #HS-805 969

Steilen, K. "Analysis of Motor Vehicle Fuel Tank-Related Fires." Environmental Protection Agency, NTIS PB88-179353/WTS, 2/88, 26 pp

Stern, A., "Preliminary Report on Trucks In Injury Producing Accidents," 7/66

Tessmer, J. "An Analysis of Fires in Passenger Cars, Light Trucks and Vans." NHTSA, 12/94, # HS-808 208, 97 pp

"The Fuel Tank of the Future--Like Tomorrow, Not 10 Years From Now," Modern Plastics, Vol. 54, 4/77

Trisko, E.M., and E.W. Shomo (Robert R. Nathan Associates, Inc.) "The Public Cost of Motor Vehicle Fires in 1973: A Study in Fire Department Cost Allocation," 1973, #HS-15261

Trisko, Eugene M. "Results of the 1973 National Survey of Motor Vehicle Fires." Fire Journal, 3/75, 19–27 pp., #HS-021 051

Tulane University, "A Medical Engineering Analysis of Severe Vehicular Accidents Occurring in the Greater New Orleans Area: Case No. 24," DOT HS 800 237, 7/69

Ultrasystems, Inc., Dynamic Science Div., "School Bus Fuel Tank Tests" (film), HS 4-00872, 4/15/75

Ultrasystems, Inc., Dynamic Science Div., Final Report--School Bus Safety Improvement Program: Summary Report," HS 801 615, 4/75

Ultrasystems, Inc., Dynamic Science Div., "Final Report--School Bus Safety Improvement Program," HS 801 616; and 16 mm film of same name, HS 801 617, 4/75

Ultrasystems, "Spilled Fuel Ignition Sources & Countermeasures: Summary Report," DOT HS 801 744, 9/75

United States Steel, Automotive Industry Marketing, "The No-Emission Safety Fuel Tank," 7/72

U.S. Patent Disclosure for Autodelta Tank, "Fire-Preventing Fuel Tank for Motor Vehicles &/or Boats," filed 6/71

University of Rochester, "Research Accident Investigation Case No. 51-53," NTIS PB 190 326, 5/69

Vaughan, R. (New South Wales, Australia, Dept. of Motor Transport). "Fire in Road Accidents," 1/70

Warner, C., et al., Collision Safety Engineering, "A Perspective on Automobile Crash Fires," SAE Report # 850092, 1985

"Which Way for the Fuel Tank?" Modern Plastics, 6/66, 82–84, 138–142, 148–150 pp.

Wood, A. Stuart. "The Fuel Tank of the Future—Like Tomorrow. Not 10 Years from Now." Modern Plastics, 4/77, 42-5 pp

Zemaitis, J. "Crashworthiness & Flammability in Federal Motor Vehicle Safety Standards," Statements at Meeting of Soc. of Plastics Ind., 4/25/72